

STANDARD CONDITIONS OF APPROVAL:

1. Applicant shall provide adequate sedimentation and erosion control devices for the proposed activity from the time that construction begins until such time that established ground cover has grown in. More specifically, the toe of filled slopes shall be protected by silt fencing and hay bales or other approved measures, and the face of all exposed slopes shall be protected with hay matting or other approved measures until such time that the slopes have stabilized. Tree protection and/or dewatering measures for the site shall be employed as specified on the approved plans OR as needed by specific field conditions.
2. Proposed site grading, as well as development in general, shall not alter drainage patterns to the detriment of adjoining or downstream properties.
3. All drainage facilities shall be designed to comply with the Town of Westport Engineering Department Storm Water Drainage Design Standards as amended to date (current revision date, 11/01/2015).
4. Applicants shall excavate test pits and conduct percolation tests at the proposed location of any storm water leaching facilities such as drywells, galleries, and stone pits. The test pits shall be witnessed and approved by the Engineering Department prior to installation of the proposed detention system.
5. The area under the proposed deck shall be excavated to a minimum depth of 6" and filled with $\frac{3}{4}$ " crushed stone, or use an alternative drainage methodology as approved by the Town Engineer.
6. All construction shall conform to the requirements of the Federal Emergency Management Agency (FEMA) and the National Flood Insurance Program (NFIP), as outlined in publication ASCE/SEI 24-14, "Flood Resistant Design and Construction," as amended to date.
7. All enclosed spaces below the Base Flood Elevation shall be constructed in conformance with FEMA Technical Bulletin 1-08, "Openings in Foundation Walls and Walls of Enclosures."
8. All final plans, details, and calculations shall be reviewed and approved by the Town Engineer.
9. All proposed work within the regulated area shall be subject to final approval by both the Town Engineer and the Conservation Director.
10. All plantings within the regulated area shall be as approved by the Westport Conservation Commission. No significant fill shall be placed within the WPLO setback other than that incidental to the plantings.
11. If the scope of this project increases or changes in any significant way, all additional or modified proposed work shall be approved by the Flood & Erosion Control Board and the Conservation Commission **prior to its commencement**, not after its completion.
12. It shall be the responsibility of the applicant to obtain and secure any additional necessary assent, permit, or license as required by law or regulation, including but not strictly limited to other Town of Westport, State of Connecticut, or United States Federal agencies.